



**LEASE TO OWN!**

**FREE FREIGHT**  
(Continental U.S.A.)

## COATS MOTORIZED TIRE CHANGERS

The COATS RC-200/EX is here! Capable of changing ALL motorcycle tire sizes – including the latest Monster 360 Tires (18" x 14" Rim Size). The RC-200/EX offers a "RoBo Arm" that mechanically assists the mounting and de-mounting of stiff side wall and/or low profile tires. Free Freight and On-Site Service Center set-up and demonstration is included at no charge.



### FEATURES

- "RoBo Arm" system & manual bead roller kit for stiff sidewall tires
- Multi-purpose three position motorcycle clamps with plastic protectors
- Air pressure regulator & gauge allows presetting clamp force to match rim strength
- Bead loosener system is optimized for motorcycle tires and wheels by providing a contoured pad and back-up system
- Extended vertical channel allows sprockets, pulleys and brake disks to remain on wheels during servicing

### SPECIFICATIONS

- RIM DIAMETERS: 6" to 23"
- RIM WIDTH: 12-1/2" (max.), 12" to 16" OK w/optional Auto Clamps
- POWER REQUIREMENTS: 120V, 15 amp, 1 phase
- AIR REQUIREMENTS: 125 PSI (minimum)

**Change Monster Tires & Stiff Sidewall Tires with Ease!**

### OPTIONAL EQUIPMENT - Phone us to outfit your RC200/EX Properly

- 184926** AUTOMOTIVE CLAMPS: Req'd for M/C Rim Widths over 12.5"
- 183604** AUTO CLAMP PROTECTORS: For added wheel protection (10 pack)
- 181554** STORAGE TRAY: For miscellaneous storage needs

### MOTORIZED TIRE CHANGER RC-200/EX

Catalog No. RC-200/EX

## CEMB COMPUTER WHEEL BALANCER (With Stationary Shaft)

The K22 has proven itself as the finest balancer for motorcycle wheels in the world. The K22 Computer Balancer is specifically designed to balance motorcycle wheels. It features a unique "stationary shaft" that allows for precise, repeatable balancing results. Unlike converted automotive balancers, the K22's "stationary shaft" for motorcycles makes set-up and operation a breeze. This feature allows the technician to also diagnose noisy wheel bearings and tire out-of-roundness easily. The K22 is capable of balancing wheels in either the Static Mode or Dynamic Mode. The Dynamic Mode balances both planes of the wheel, thus giving a more accurate balance for wheels wider than 5". Manufactured by CEMB, the largest manufacturer of balancers in the world, their patented balancer technology combined with ongoing product improvements makes this the machine of choice.



### SPECIFICATIONS

- RIM DIAMETER: 10" to 24"
- DISTANCE BETWEEN WHEEL BEARINGS: 9-1/2" or wider\*
- POWER REQUIREMENTS: 120V, 1 phase
- ULTIMATE ACCURACY: ± 1 gram, 1/10oz.

\*For 280, 300 & 330 sizes, order optional Shaft Extension Cone #04C220001

### FEATURES

- BALANCING BOTH PLANES: Static (regular) and Dynamic (wider than 5")
- ULTRA-FAST SETUP: Stationary shaft. (No adapter drive forks/arms to adjust)
- DIAGNOSE WHEEL BEARINGS: Stationary shaft allows tech to hear noisy bearings
- DETECT OUT-OF-ROUNDNESS: Abnormal vibrations are felt through control lever
- FREEDOM FROM ERRORS: Digital electronics guarantee accuracy and reliability

### OPTIONAL EQUIPMENT: RC-100, RC-150, RC-200

- 183585 ATV Clamps, set of 4, 6" to 12" range, (included with RC-100/SS) (RC-100)
- 183606 Bead Loosener Shoe Socks (2 pack)
- 1837101 Tire Mounting Paste – Bucket
- 4356851 Drop Center Tool: For stiff sidewall tires (2 req'd.) (RC100, RC150)
- 183374 Nylon Booties for Mount-Demount Head (12 pack)
- 85000783 Tire Iron/Bead Lifting Tool Protectors (10 pack)
- 183248 Replacement plastic Gripper for clamps
- 183604 Auto-Clamp Protective Socks (10 pack)
- 184926 Automotive Clamps: Req'd for M/C Rim Widths over 12.5" (RC-150, RC-200)
- 183604 Auto Clamp Protectors: (10 pack) (RC-150, RC-200)
- 181554 Storage Tray: For miscellaneous storage needs (RC-150, RC-200)
- 184052 Manual Bead Roller Kit (RC-100)
- 183462 ATV Riser Kit (RC-100)
- 181554 Storage Tray (RC-100)

### SPECIFICATIONS: RC-150, RC-200

- RIM DIAMETERS: 6" to 23"
- RIM width: 12-1/2" (max.), 12" to 16" OK w/optional Auto Clamps
- POWER REQUIREMENTS: 120V, 15 amp, 1 phase
- AIR REQUIREMENTS: 125 PSI (minimum)

### MOTORIZED COMPUTER BALANCER

Catalog No. K22



**THE CARLSON COMPANY**

**1-800-222-6199**

